External DVD Multi Writer: DRX-S90U (1/3)

External 8x Sony DVD Multi drive

Integrated USB cable duct for easy stowage

Bus-powered (No AC Adapter needed)

Reads and records all DVD and CD formats under Windows 7/Vista/XP, Mac OS

Comes with award winning Nero™ Software

Supplied with documentation in 14 EU languages

English, French,
Spanish, German,
Italian, Dutch,
Portuguese, Polish,
Russian, Turkish,
Greek, Hungarian,
Romanian, Slovakian

External DVD Multi Writer: DRX-S90U (2/3)

Read speed: DVD 8x / CD 24x max

Write speed:

DVD+R/-R:	8x max
DVD+RW:	8x max
DVD-RW:	6x max
DVD+R9:	6x max
DVD-R DL:	6x max
DVD-RAM:	5x max
CD-R:	24x max
CD-RW:	24x max

Bus-powered Hi-Speed USB 2.0

USB cable duct for easy stowage

Buffer Under-run Protection

12cm and 8cm media supported

320 g weight

Emergency eject





External DVD Multi Writer: DRX-S90U (3/3)

Specifications		8x slimline DVD Multi Writer (DRX-S90U)	
		DVD	**CD**
Transfer Rate **read** (max.)		8x CAV (max. 11000 kByte/s)	24x CAV (max. 3600 kByte/s)
Transfer Rate **write**	-R	8x CAV (max. 11000 kByte/s)	24x CAV (max. 3600 kByte/s)
	-R DL	6x ZCLV (max. 8300 kByte/s)	./.
	-RW	6x ZCLV (max. 8300 kByte/s)	24x ZCLV (max. 3600 kByte/s)
	-RAM	5x ZCLV (max. 6900 kByte/s)	./.
	+R	8x CAV (max. 11000 kByte/s)	./.
	+R9	6x ZCLV (max. 8300 kByte/s)	./.
	+RW	8x ZCLV (max. 11000 kByte/s)	./.
Access Time		180 ms	150 ms
Mechanism		Tray load mechanism	
Interface		Hi-Speed USB (USB2.0) Bus-powered	
Burst Tranfer Rate		480 M bit/s	
Cache Memory		1 MByte	
Media/Modes supported		DVD-ROM, DVD-R(DL), DVD-RW, DVD +R(9), DVD +RW, DVD-Video, CD-ROM, CD-ROM XA, CD-Audio, CD Extra, CD Text, CD-I Ready, CD-Bridge, Photo-CD, VideoCD, Hybrid CD	
Writing methods		DAO (disc at once), SAO (session at once), TAO (track at once) with zero gap, variable or fixed packet, multisession	
Operating Systems		Windows - Windows®XP /Windows®Vista /Windows®7 Professional Macintosh - Mac OS 10.4.11 (Tiger) /Mac OS 10.5.8 (Leopard)/ Mac OS 10.6.1 (Snow Leopard) or later	
Weight		320 g (drive only)	
Dimensions		136.5 x 19 x 152 mm	